


Seevision Technologies Inc.

Making America Greener One Light At A Time

LED STRIP & ACCENT LIGHT PRODUCTS CATALOG



NEW YORK
516 - 754 - 8328

EMAIL US
sales@seevisiontechnologies.com


FLORIDA
352 - 597 - 9025

Seevision Technologies Inc.

Making America Greener One Light At A Time

LED STRIP & ACCENT LIGHT PRODUCTS

1.5 WATT SMD LED RIGID STRIP LIGHT



SVT-SRS30-485

APPLICATIONS

Architectural & Decorative Lighting

Accent / Border & Cove Lighting

Stairway / Cabinet & Display Lighting

Signage & Channel Letter Lighting

NEW YORK
516 - 754 - 8328

EMAIL US
sales@seevisiontechnologies.com

FLORIDA
352 - 597 - 9025

FEATURES & BENEFITS

Lighting Energy Cost Savings	Energy consumption up to 80% less than standard strip lights.
Air Conditioning Energy Cost Savings	Generates very low heat; reducing Air Conditioning energy consumption.
Replacement Lamp & Labor Cost Savings	Life duration is over 100,000 Hours; 10-40X longer than standard strip lights.
Seamless Expandable Design	Dual connector ends provide the ability to daisy chain additional strips using one power supply.
Quick & Easy Surface Mount & Installation	Install directly onto surface using adhesive or strip light mounting clips
Durable & Safe Lamp Design	Impact resistant & shock-proof design; no fragile glass for improved safety & durability.
Bright & Clean Light Emittance	High color rendering index; over 10X the brightness per watt of standard strip lights.
Environmentally Safe & Recyclable	Contains no harmful gases, mercury, sodium, lead or UV radiation (100% recyclable).
Green Rebates & Incentives	Qualifies for many Federal, State, Local Government & Utility based rebates & incentives.

TECHNICAL SPECIFICATIONS

Dimensions	Length (inches / mm)	19.10" / 485mm
	Width (inches / mm)	0.31" / 8mm
LED Quantity	30	
Power Consumption	1.5 Watts	
Working Voltage	12V DC	
Working Current	200 MA	
Strip Connection Type	Dual bi-pin connector ends	
Installation Method	Strip light mounting clips or surface adhesive	
Life Duration	100,000 Hours	
Light Beam Angle	120° Beam	
Emission Color	Cool White	
	Warm White	
	Red	
	Yellow	
	Green	
	Blue	
	RGB	

NEW YORK 516 - 754 - 8328	EMAIL US sales@seevisiontechnologies.com	FLORIDA 352 - 597 - 9025
--	---	---

Seevision Technologies Inc.

Making America Greener One Light At A Time

LED STRIP & ACCENT LIGHT PRODUCTS

1.7 WATT PIRANHA LED RIGID STRIP LIGHT



SVT-PRS30-470

APPLICATIONS

Architectural & Decorative Lighting

Accent / Border & Cove Lighting

Stairway / Cabinet & Display Lighting

Signage & Channel Letter Lighting

NEW YORK
516 - 754 - 8328

EMAIL US
sales@seevisiontechnologies.com

FLORIDA
352 - 597 - 9025

FEATURES & BENEFITS

Lighting Energy Cost Savings	Energy consumption up to 80% less than standard strip lights.
Air Conditioning Energy Cost Savings	Generates very low heat; reducing Air Conditioning energy consumption.
Replacement Lamp & Labor Cost Savings	Life duration is over 100,000 Hours; 10-40X longer than standard strip lights.
Seamless Expandable Design	Dual connector ends provide the ability to daisy chain additional strips using one power supply.
Quick & Easy Surface Mount & Installation	Install directly onto surface using adhesive or strip light mounting clips
Durable & Safe Lamp Design	Impact resistant & shock-proof design; no fragile glass for improved safety & durability.
Bright & Clean Light Emittance	High color rendering index; over 10X the brightness per watt of standard strip lights.
Environmentally Safe & Recyclable	Contains no harmful gases, mercury, sodium, lead or UV radiation (100% recyclable).
Green Rebates & Incentives	Qualifies for many Federal, State, Local Government & Utility based rebates & incentives.

TECHNICAL SPECIFICATIONS

Dimensions	Length (inches / mm)	18.50" / 470mm
	Width (inches / mm)	0.51" / 13mm
LED Quantity	30	
Power Consumption	1.7 Watts	
Working Voltage	12V DC	
Working Current	200 MA	
Strip Connection Type	Dual bi-pin connector ends	
Installation Method	Strip light mounting clips or surface adhesive	
Life Duration	100,000 Hours	
Light Beam Angle	120° Beam	
Emission Color	Cool White	
	Warm White	
	Red	
	Yellow	
	Green	
	Blue	

NEW YORK 516 - 754 - 8328	EMAIL US sales@seevisiontechnologies.com	FLORIDA 352 - 597 - 9025
-------------------------------------	---	------------------------------------

Seevision Technologies Inc.

Making America Greener One Light At A Time

LED STRIP & ACCENT LIGHT PRODUCTS

WATERPROOF LED RIGID STRIP LIGHT



SVT-WPRS30-500

APPLICATIONS

Architectural & Decorative Lighting

Accent / Border & Cove Lighting

Refrigeration / Stairway / Cabinet & Display Lighting

Signage & Channel Letter / Bathroom Lighting

NEW YORK
516 - 754 - 8328

EMAIL US
sales@seevisiontechnologies.com

FLORIDA
352 - 597 - 9025

FEATURES & BENEFITS

Lighting Energy Cost Savings	Energy consumption up to 80% less than standard strip lights.
Air Conditioning Energy Cost Savings	Generates very low heat; reducing Air Conditioning energy consumption.
Replacement Lamp & Labor Cost Savings	Life duration is over 100,000 Hours; 10-40X longer than standard strip lights.
100% Waterproof Seamless Expandable Design	Watertight connector ends provide the ability to daisy chain additional strips with 1 power supply
Quick & Easy Surface Mount & Installation	Install directly onto surface using adhesive or strip light mounting clips
Durable & Safe Lamp Design	Impact resistant & shock-proof design; no fragile glass for improved safety & durability.
Bright & Clean Light Emittance	High color rendering index; over 10X the brightness per watt of standard strip lights.
Environmentally Safe & Recyclable	Contains no harmful gases, mercury, sodium, lead or UV radiation (100% recyclable).
Green Rebates & Incentives	Qualifies for many Federal, State, Local Government & Utility based rebates & incentives.

TECHNICAL SPECIFICATIONS

	POWER	LENGTH	WIDTH
Available Model Dimensions & Power Consumption	2 Watts	19.68" (500mm)	0.70" (18mm)
	4 Watts	39.37" (1000mm)	
	6 Watts	59.05" (1500mm)	
	8 Watts	78.84" (2000mm)	
LED Quantity	30 (RGB Model - 27)		
Working Voltage	12V DC		
Working Current	200 MA		
Strip Connection Type	Watertight Male/Female screw-in connector ends		
Installation Method	Strip light mounting clips or surface adhesive		
Life Duration	100,000 Hours		
Light Beam Angle	120° Beam		
Emission Color	Cool White		
	Warm White		
	Red		
	Yellow		
	Green		
	Blue		
	RGB		

NEW YORK 516 - 754 - 8328	EMAIL US sales@seevisiontechnologies.com	FLORIDA 352 - 597 - 9025
-------------------------------------	---	------------------------------------